

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No. : 09/760,009
Applicant : J, Wallace Parce, et al.
Filing Date : 01/11/2001
TC/A.U. : 1713
Examiner : Ling Siu Choi

Confirmation No.: 2750 RECEIVED
CENTRAL FAX CENTER

JUL 29 2004

Docket No. : 100/07110
Customer No. : 021569
Title : Method for Monitoring Flow Rate Using Fluorescent Markers

OFFICIAL

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO RESTRICTION REQUIREMENT

Sir:

In response to the Restriction Requirement mailed July 1, 2004, Applicants respectfully elect to prosecute claims in Group I (Claims 1-70) without traverse.

Applicants believe that the present application is in condition for early examination, and action toward that end is respectfully requested. If the Examiner believes that a telephone interview would expedite the examination of this application, the Examiner is requested to contact the undersigned at the telephone number provided below.

Respectfully submitted,



Donald R. McKenna
Reg. No. 44,922

CALIPER LIFE SCIENCES, INC.
605 Fairchild Drive
Mountain View, CA 94043
Direct: 650-623-0737
Fax: 650-623-0504
donald.mckenna@caliperls.com

CERTIFICATE OF TRANSMISSION OR MAILING

I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service as First Class Mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on July 29, 2004, by Michael Moores, Signed: 